

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 (Currently Amended). An isolated polypeptide, which is a calmodulin-dependent serine/threonine kinase, or a fragment thereof, selected from the group consisting of:

(A) a polypeptide which is capable of inducing cell death (apoptosis) and comprises the amino acid sequence of SEQ ID NO:2;

(B) a polypeptide which has a property of being capable of inducing cell death and has at least ~~[[85%]]~~ 90% sequence identity to the amino acid sequence of SEQ ID NO:2;

(C) a fragment of a polypeptide of ~~SEQ ID NO:2~~ (A) or (B) which is capable of inducing cell death; and

~~(D) a fragment which is capable of inducing cell death and has at least 85% sequence identity to fragment (C);~~

~~(E) a fragment of a polypeptide of ~~SEQ ID NO:2~~ (A) or (B) which lacks the property of being capable of inducing cell death and which inhibits the ability of the polypeptide (A) or (B) to induce cell death; and~~

~~(F) a fragment which lacks the property of being capable of inducing cell death and which inhibits the ability of~~

~~the polypeptide (A) or (B) to induce cell death, said fragment having at least 85% sequence identity to fragment (E).~~

2(Original). An isolated DNA molecule comprising a nucleotide sequence encoding the polypeptide or fragment thereof according to claim 1.

3(Original). The isolated DNA molecule according to claim 1, wherein said nucleotide sequence encodes the amino acid sequence of SEQ ID NO:2.

4(Original). The isolated DNA molecule according to claim 3, wherein said nucleotide sequence corresponds to nucleotides 62 to 1141 of SEQ ID NO:1.

5(Original). The isolated DNA molecule according to claim 3, which consists of the nucleotide sequence corresponding to nucleotides 62 to 1141 of SEQ ID NO:1.

Claim 6 (Cancelled)

7(Original). An isolated DNA molecule which hybridizes to the DNA molecule of claim 5 under highly stringent conditions and encodes a calmodulin-dependent serine/threonine kinase having the property of being capable of inducing cell death.

8(Currently Amended). A polypeptide capable of inducing cell death, consisting of an amino acid sequence

selected from the group consisting of amino acid residues 13 to 275 of SEQ ID NO:2 and an amino acid sequence having at least [[85%]] 90% sequence identity to residues 13 to 275 of SEQ ID NO:2.

9(Original). An isolated DNA molecule comprising a nucleotide sequence encoding the polypeptide of claim 8.

10(Original). The isolated DNA molecule according to claim 9, wherein said nucleotide sequence encodes the amino acid sequence corresponding to residues 13 to 275 of SEQ ID NO:2.

Claim 11 (Cancelled)

12(Currently amended). The isolated DNA molecule according to claim ~~11~~ 10, wherein said nucleotide sequence hybridizes to nucleotides 98 to 886 of SEQ ID NO:1 under highly stringent conditions and encodes a polypeptide capable of inducing cell death.

13(Previously presented). A polypeptide capable of inhibiting the ability of the polypeptide of SEQ ID NO:2 to induce cell death, consisting of an amino acid sequence selected from the group consisting of amino acid residues 321 to 360 of SEQ ID NO:2 and an amino acid sequence having at least 85% sequence identity to residues 321 to 360 of SEQ ID NO:2.

14(Currently amended). An isolated DNA molecule ~~comprising~~ consisting of a nucleotide sequence encoding the polypeptide of claim 13.

15(Original). The isolated DNA molecule according to claim 14, wherein said nucleotide sequence encodes the amino acid sequence corresponding to residues 321 to 360 of SEQ ID NO:2.

Claim 16 (Cancelled)

17(Currently amended). The isolated DNA molecule according to claim ~~[[16]]~~ 15, wherein said nucleotide sequence hybridizes to nucleotides 1022 to 1141 of SEQ ID NO:1 under highly stringent conditions and encodes a polypeptide capable of inducing cell death.

18(Currently Amended). A vector comprising the isolated DNA molecule according to ~~any of claims~~ claim 2.

19(Currently Amended). A host cell transformed with the isolated DNA molecule according to ~~ay of claims~~ claim 2.

20(Currently Amended). A composition comprising a polypeptide according to ~~any one of claims~~ claim 1 and a pharmaceutically acceptable excipient, carrier, diluent or auxiliary agent.

Claims 21 and 22 (Cancelled)

23 (Currently amended). A single stranded RNA molecule having up to 30 nucleotides in length that is complementary to at least a portion of the isolated messenger RNA molecule which is the transcription product of the DNA sequence encoding a polypeptide of SEQ ID NO:2, wherein said complementary single stranded RNA molecule is capable of hybridizing to said isolated messenger RNA to prevent its translation into said polypeptide of SEQ ID NO:2.

24 (Previously presented). A method of neutralizing a messenger RNA molecule, which is the transcription product of the DNA sequence encoding a polypeptide of SEQ ID NO:2, comprising the step of contacting the single stranded RNA molecule of claim 23 with the messenger RNA to neutralize the messenger RNA by hybridizing thereto and preventing its translation into the polypeptide of SEQ ID NO:2.

Claims 25 and 26 (Cancelled)

27 (Previously presented). A composition comprising a polypeptide according to claim 8, and a pharmaceutically acceptable excipient, carrier, diluent or auxiliary agent.

28 (Previously presented). A composition comprising a polypeptide according to claim 13, and a pharmaceutically acceptable excipient, carrier, diluent or auxiliary agent.

Claims 29-31 (Cancelled)

32 (Currently amended). The polypeptide of claim 1, wherein said polypeptide (B) ~~or said fragment (D)~~ has at least 95% sequence identity to the amino acid sequence of SEQ ID NO:2 ~~or to the fragment of (C), respectively.~~

33 (Previously presented). The polypeptide of claim 8 which has at least 90% sequence identity to residues 13 to 275 of SEQ ID NO:2.

34 (Previously presented). The polypeptide of claim 8 which has at least 95% sequence identity to residues 13 to 275 of SEQ ID NO:2.

35 (Previously presented). The polypeptide of claim 13 which has at least 90% sequence identity to residues 321 to 360 of SEQ ID NO:2.

36 (Previously presented). The polypeptide of claim 13 which has at least 95% sequence identity to residues 321 to 360 of SEQ ID NO:2.

37 (New). A vector comprising the isolated DNA molecule according to claim 14.

38(New). A host cell transformed with the isolated DNA molecule according to claim 14.

39(New). A single stranded RNA molecule having 100% complementarity to at least a portion of the isolated messenger RNA molecule which is the transcription product of the DNA sequence encoding a polypeptide of SEQ ID NO:2, wherein the complementary single stranded RNA molecule is capable of hybridizing to said isolated messenger RNA molecule to prevent its translation into said polypeptide of SEQ ID NO:2.

40(New). A method of neutralizing a messenger RNA molecule, which is the transcription product of the DNA sequence encoding a polypeptide of SEQ ID NO:2, comprising the step of contacting the single stranded RNA molecule of claim 39 with the messenger RNA to neutralize the messenger RNA by hybridizing thereto and preventing its translation into the polypeptide of SEQ ID NO:2.